

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 02-Feb-2024

#### **Revision Number** 3

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description:	<b>Ethanethiol</b>
Cat No. :	22585
Synonyms	Ethyl mercaptan
Index No	016-022-00-9
CAS No	75-08-1
EC No	200-837-3
Molecular Formula	C2 H6 S
REACH registration number	-

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sector of use	Laboratory chemicals. SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address

begel.sdsdesk@thermofisher.com

#### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

#### **Physical hazards**

#### Ethanethiol

Flammable liquids	Category 1 (H224)
Health hazards	
Acute oral toxicity Acute Inhalation Toxicity - Vapors Skin Sensitization	Category 4 (H302) Category 4 (H332) Category 1 (H317)
Environmental hazards	
Acute aquatic toxicity Chronic aquatic toxicity	Category 1 (H400) Category 1 (H410)

#### Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H224 - Extremely flammable liquid and vapor

H410 - Very toxic to aquatic life with long lasting effects

H317 - May cause an allergic skin reaction

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

P240 - Ground and bond container and receiving equipment

P243 - Take action to prevent static discharges

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P273 - Avoid release to the environment

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P403 + P235 - Store in a well-ventilated place. Keep cool

#### 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Stench

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and
-----------	--------	-------	----------	----------------------------------------------------------------------------

#### Ethanethiol

#### Revision Date 02-Feb-2024

-

			UK SI 2020/1567
75-08-1	EEC No. 200-837-3	>95	Flam. Liq. 1 (H224)
			Acute Tox. 4 (H302)
			Acute Tox. 4 (H332)
			Skin Sens. 1 (H317)
			Aquatic Acute 1 (H400)
			Aquatic Chronic 1 (H410)
	75-08-1	75-08-1 EEC No. 200-837-3	75-08-1 EEC No. 200-837-3 >95

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Ethyl mercaptan	-	10	-

#### **REACH** registration number

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.
Ingestion	Clean mouth with water. Get medical attention.
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Get medical attention.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed

Difficulty in breathing. May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### **Notes to Physician**

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES** 

## 5.1. Extinguishing media

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Water mist may be used to cool closed containers.

## Extinguishing media which must not be used for safety reasons Water may be ineffective.

#### 5.2. Special hazards arising from the substance or mixture

Vapors may travel to source of ignition and flash back. Extremely flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulfur oxides.

#### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid contact with skin and clothing. Avoid breathing vapors or mists. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Contents may develop pressure upon prolonged storage. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

## Technical Rules for Hazardous Substances (TRGS) 510Class 3Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

#### Ethanethiol

## SAFETY DATA SHEET

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Ethyl mercaptan	STEL: 2 ppm 15 min		TWA: 0.5 ppm 8 hr.
	STEL: 5.2 mg/m <sup>3</sup> 15 min		TWA: 1 mg/m <sup>3</sup> 8 hr.
	TWA: 0.5 ppm 8 hr		STEL: 2 ppm 15 min
	TWA: 1.3 mg/m <sup>3</sup> 8 hr		STEL: 3 mg/m <sup>3</sup> 15 min

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Ethyl mercaptan 75-08-1 (>95)				DNEL = 1.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Ethyl mercaptan 75-08-1 ( >95 )				DNEL = 11mg/m <sup>3</sup>

#### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Ethyl mercaptan	PNEC =	PNEC =	PNEC = 0.001mg/L	PNEC = 8.81mg/L	PNEC =
75-08-1 (>95)	0.0001mg/L	0.00049mg/kg	-		0.0000409mg/kg
		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Ethyl mercaptan 75-08-1(>95)	PNEC = 0.00005mg/L	PNEC = 0.000049mg/kg sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

**Hand Protection** 

Protective gloves

Revision Date 02-Feb-2024

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prot	tection Wear ap	propriate protective g	gloves and clothing to	prevent skin exposure.
(Refer to manufacturer/s Ensure gloves are suital sensitisation effects, als of cuts, abrasion.	ructions regarding perme supplier for information) ble for the task: Chemica	al compatability, Dext the specific local co	terity, Operational con	ovided by the supplier of the gloves. ditions, User susceptibility, e.g. he product is used, such as the danger
Respiratory Protec		orkers are facing con ate certified respirato		exposure limit they must use
Large scale/emergenc	are exce	eded or if irritation or nended Filter type:	other symptoms are e	6 approved respirator if exposure limits experienced apours filter Type A Brown conforming t
Small scale/Laboratory	approve experien	d respirator if exposu iced.	re limits are exceeded	or European Standard EN 149:2001 or if irritation or other symptoms are 5; or; Half mask: EN140; plus filter, EN

```
Environmental exposure controls
```

Ethanethiol

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Stench	
Odor Threshold	No data available	
Melting Point/Range	-148 °C / -234.4 °F	
Softening Point	No data available	
Boiling Point/Range	35 °C / 95 °F	@ 760 mmHg
Flammability (liquid)	Extremely flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 2.8 Vol%	
	Upper 18.2 Vol%	
Flash Point	-45 °C / -49 °F	Method - No information available
Autoignition Temperature	298 °C / 568.4 °F	
Decomposition Temperature	No data available	
рН	No information available	
Viscosity	No data available	
Water Solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/wate	er)	
Component	log Pow	
Ethyl mercaptan	1.5	
Vapor Pressure	440 mmHg @ 20 °C	
Density / Specific Gravity	0.830	
Bulk Density	Not applicable	Liquid
Vapor Density	2.14 (Air = 1.0)	(Air = 1.0)

Revision Date 02-Feb-2024

Ethanethiol

**Particle characteristics** 

Not applicable (liquid)

#### 9.2. Other information

Molecular FormulaC2 H6 SMolecular Weight62.13Explosive PropertiesVapors may form explosive mixtures with air

## SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNo information available.

10.4. Conditions to avoid

10.5. Incompatible materials

Bases. Strong oxidizing agents. Metals.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides.

Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

(a) acute toxicity; Oral Dermal Inhalation	Category 4 Based on available data, the Category 4	e classification criteria are not m	et
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl mercaptan	682 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	LC50 = 4420 ppm (Rat) 4 h
(b) skin corrosion/irritation;	Based on available data, the	e classification criteria are not m	et

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

 

 (d) respiratory or skin sensitization; Respiratory Skin
 Based on available data, the classification criteria are not met Category 1

 May cause sensitization by skin contact

 (e) germ cell mutagenicity;
 Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

(f) carcinogenicity;	Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure; Target Organs	Based on available data, the classification criteria are not met None known.
(j) aspiration hazard; Symptoms / effects,both acute and delayed	Based on available data, the classification criteria are not met Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

#### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity Ecotoxicity effects

Ethanethiol

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Ethyl mercaptan	LC50: = 2.4 mg/L, 96h (Oncorhynchus mykiss)	0.09 - 0.28 mg/L EC50 48 h 90 - 280 mg/L EC50 48 h	

Component	Microtox	M-Factor
Ethyl mercaptan		10

12.2. Persistence and degradability	Not readily biodegradable
Persistence	Persistence is unlikely, based on information available.
Degradation in sewage	Contains substances known to be hazardous to the environment or not degradable in waste
treatment plant	water treatment plants.

#### 12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethyl mercaptan	1.5	No data available

12.4. Mobility in soil The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

12.5. Results of PBT and vPvB Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent

Revision Date 02-Feb-2024

Ethanethiol

assessment

and very bioaccumulative (vPvB).

<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

**<u>12.7. Other adverse effects</u>** Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

14.1. UN number	UN2363
14.2. UN proper shipping name	ETHYL MERCAPTAN
14.3. Transport hazard class(es)	3
14.4. Packing group	Ι

<u>ADR</u>

14.1. UN number	UN2363
14.2. UN proper shipping name	ETHYL MERCAPTAN
14.3. Transport hazard class(es)	3
14.4. Packing group	Ι

IATA

<u>14.1. UN number</u>	UN2363
<u>14.2. UN proper shipping name</u>	ETHYL MERCAPTAN
<u>14.3. Transport hazard class(es)</u>	3
<u>14.4. Packing group</u>	I
14.5. Environmental hazards	Dangerous for the environment

**<u>as</u>** Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

#### Ethanethiol

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Ethyl mercaptan	75-08-1	200-837-3	-	-	Х	Х	Х	Х	Х
Component	CAS No	TSCA	notific	ventory ation -	DSL	NDSL	AICS	NZIoC	PICCS
			Active-	Inactive					
Ethyl mercaptan	75-08-1	X	ACT	IVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
		-	Substances	Substances of Very High
				Concern (SVHC)
Ethyl mercaptan	75-08-1	-	-	-

#### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	
		Notification	Requirements
Ethyl mercaptan	75-08-1	Not applicable	Not applicable

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

[	Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
	Ethyl mercaptan	WGK 3	Class I : 20 mg/m <sup>3</sup> (Massenkonzentration)

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H224 - Extremely flammable liquid and vapor

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H332 - Harmful if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

**CAS** - Chemical Abstracts Service

<b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances <b>KECL</b> - Korean Existing and Evaluated Chemical Substances	Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals
WEL - Workplace Exposure Limit	TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists	IARC - Interr
DNEL - Derived No Effect Level	Predicted No
RPE - Respiratory Protective Equipment	LD50 - Leth
LC50 - Lethal Concentration 50%	EC50 - Effect
<b>NOEC</b> - No Observed Effect Concentration	POW - Partit
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very

ADR - European Agreement Concerning the International Carriage of<br/>Dangerous Goods by RoadICAO/<br/>TranspIMO/IMDG - International Maritime Organization/International Maritime<br/>Dangerous Goods CodeMARP<br/>ShipsOECD - Organisation for Economic Co-operation and Development<br/>BCF - Bioconcentration factorATE -<br/>VOC -<br/>VOC -<br/>VOC -<br/>Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

TSCA - United States Toxic Substances Control Act Section 8(b)

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

**Training Advice** Chemical incident response training.

Prepared By	Health, Safety and Environmental Department
Revision Date	02-Feb-2024
Revision Summary	New emergency telephone response service provider.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text

## End of Safety Data Sheet